**Components Overview** 

## **HP MX12 Retail Solution**



### **Front View**

- 1. Front-facing camera LED
- 2. Front-facing camera
- 3. Stereo headphone-out/mic-in combo jack
- 4. USB 3.0a

- 5. Alignment LED
- 6. Power button
- 7. Volume controls



**Components Overview** 



- 1. Shoulder strap connection points (K7T92AA)
- 2. Hand strap connection points
- 3. Rear-facing camera LED
- 4. Rear-facing camera

\* PED mounts included with each Retail Case 12

#### **Rear View**

- 5. Fingerprint reader
- 6. PED mount attachment area\*
- 7. Latch areas for Retail Expansion Dock

Overview

## **HP Retail Case 12**

## **DIMENSIONS AND WEIGHT**

#### Dimensions (W X D X H)

32.81 x 23.36 x 2.13 cm (landscape orientation, tablet included) 12.91 x 9.19 x 0.83 in

#### Weight (Grams, lbs.)

386.8g (0.67lbs)

## PORTS

- (1) USB-C with Guest Protocol (only support Power, USB)
- (1) USB-C to connect with tablet
- (1) External 70-pin connector to Sprocket dock (only support Power, USB)

## SERVICE AND SUPPORT

1-year standard parts, labor and onsite limited warranty. Online technical support is available seven days a week, 24 hours a day. Certain restrictions and exclusions apply. Depending on country<sup>‡</sup>1-year limited warranty on primary battery. Optional HP Care Pack Services are extended service contracts which go beyond your standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Restrictions and limitations apply. Service starts at date of hardware purchase. For details, visit http=//www.hp.com/go/cpc.

**NOTE**<sup>-</sup> Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details. http=//h20000.www2.hp.com/bizsupport/TechSupport/ProductRoot.jsp



Features

## **HP Retail Expansion Dock**

- 6 USB ports
- 4 Serial ports for legacy peripherals
- 1 HDMI connector and 1 VGA connector
- 1 RJ-45 (Ethernet)

### **Standard Features**

Two docking posts	Align and secure the HP ElitePad Mobile POS Solution for proper connection to the HP Retail Expansion Dock
Docking connector	Connects the HP ElitePad Mobile POS Solution to the HP Retail Expansion Dock
Charging LED	Indicates charging of ElitePad when HP ElitePad Mobile POS Solution is properly connected, and also is used as a visual alignment indicator for fast and easy docking
Eject switch	Ejects HP ElitePad Mobile POS Solution from HP Retail Expansion Dock
USB ports	6 USB ports (one 24V for printer, 2 12V for complex character VFD and optional PIN pad, fou 5V for scanner, keyboard, mouse, cash drawer, etc.)
Serial Ports	4 Serial ports for legacy peripherals (DB9, powered, jumper selectable - 5V/12V)
Video Network	1 HDMI connector and 1 VGA connector 1 RJ-45 (Ethernet)
Security	Three security options <sup>2</sup> lock the HP ElitePad Mobile POS Solution to the HP Retail Expansion Dock with a key, secure the HP Retail Expansion Dock with a cable lock, or secure the HP Retail Expansion Dock to a counter or cash drawer with a bolt.
Power	Internal HP 150W AC Adapter and power cord
Dual hinge	Ability to adjust tilt and height of HP ElitePad Mobile OS Solution while docked
Option Kit Contents	HP Retail Expansion Dock for ElitePad, 150W AC Adapter, Power Cord, Input / Output cover, two keys, documentation

### HP Pro x2 612 G2

- Windows 10 Pro 64, Windows<sup>®</sup> IoT for Retail<sup>1</sup>
- Intel<sup>®</sup> next generation Core m3 and Pentium<sup>®</sup> processors
- 12-inch diagonal capacitive multi-touch, eDP WUXGA+ BrightView WLED UWVA (1920 x 1280), featuring Corning® Gorilla® Glass
- 4GB 1866 MT/s LPDDR3-1 SDRAM
- M.2 2280 128GB SSD
- Micro SD Card Slot supported, expandable up to 2TB
- 802.11ac WiDi (2x2) Wi-Fi
- Bluetooth<sup>®</sup> 4.0 connectivity (combo card with WiFi)
- LTE/HSPA+ WWAN options available<sup>2</sup>
- Integrated NFC
- 1. Windows <sup>®</sup> IoT for Retail OS will not be available at launch.
- 2. Must be configured at the time of purchase.

## **OPERATIVE SYSTEM**



Features

#### Preinstalled

Windows 10 Pro (64-bit)\* Windows 10 IoT Enterprise for Retail (64-bit)\*<sup>1</sup>

\* Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http=//www.microsoft.com.

#### NOTE=Your product does not support Windows 8 or Windows 7

In accordance with Microsoft's support policy, HP does not support the Windows<sup>®</sup> 8 or Windows 7 operating system on products configured with Intel 7th generation and forward processors or provide any Windows<sup>®</sup> 8 or Windows 7 drivers on http=//www.support.hp.com

**NOTE 1-This OS will not be available at launch.** 

## PROCESSOR

Intel® Core M3-7Y30 with Intel® Graphics 615 (1 GHz, up to 2.6 GHz, 4 MB cache, 2 cores)\*

Intel® Pentium® 4410Y with Intel® Graphics 615 (1.5 GHz, 2 MB cache, 2 cores)\*

\* Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software

configurations. Intel's numbering is not a measurement of higher performance. **NOTE-**Chipset is integrated with processor.

## MEMORY

4 GB LPDDR3-1866 SDRAM Dual Channel Memory (Transfer rates up to 1600 MT/s)

\* Transfer rates up to 1600 MT/s. Onboard memory not customer accessible/upgradeable

# STORAGE

Internal Storage Device M.2 128GB SATA-3 SSD SS 2280 Value Micro SD Card Slot supported Supports SDXC microSD cards up to 2 TB \*\*

\* GB = 1 billion bytes. Actual formatted capacity is less.

## DISPLAY



#### Features

#### Internal

30.48 cm (12-inch) diagonal capacitive multi-touch, eDP WUXGA+ BrightView, Ultraslim (1920x1280) Features<sup>2</sup>

- 1920x1280 High Definition (FHD)\* resolution\*\*
- 3:2 aspect ratio
- Brightness (typical) 340 nits (cd/m<sup>2</sup>)
- 10 point capacitive touch solution, Direct bonding
- Anti-Smudge with Corning® Gorilla® Glass 4

#### External

24-bit per pixel color depth

\*High definition (HD) content is required to view high-definition images \*\*Resolutions are dependent upon monitor capability, and resolution and color depth settings.

## GRAPHICS

Integrated Intel<sup>®</sup> HD Graphics 615

## **NETWORKING/COMMUNICATIONS**

#### **Integrated Wi-Fi\***

Intel® Dual Band Wireless-AC 7265 802.11a/b/g/b/ac WiDi (2x2) WiFi and Bluetooth® 4.0 Combo

#### WWAN\*\*

WWAN NA-1-S3 LTE/EVDO/HSPA+ w/GPS M.2 (746479-002) WWAN ME906E LTE/HSPA+ w/GPS M.2 (739797-002) WWAN MU736 HSPA+ w/GPS M.2 (746700-002)

#### NFC

**Near Field Communications** 

\* Wireless access point and Internet service required and not included. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

\*\* WWAN is an optional feature, requires factory configuration, and use requires separately purchased service contract. Check with service provider for coverage and availability in your area. Contact service provider to determine the coverage area and availability. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products, in all regions.

## AUDIO/MULTIMEDIA



#### Features

HD audio 2 Front-facing Stereo Speakers 2 Integrated Audio Microphones 3.5mm Combo headphone/microphone jack\*

\* Headphones are sold separately

#### Cameras

2MP HD Front-facing camera 8MP rear-facing auto-focus without LED flash

#### Sensors

Accelerometer eCompass Gyroscope Ambient light sensor Hall effect Haptics

## POWER

#### **Power Supply**

HP 45W USB Type-C AC Adapter HP 65W USB Type-C AC Adapter

#### Battery

41.58 Whr lithium-polymer

## **INPUT/OUTPUT**

#### **Ports/connectors**

- (1) USB port Type C (Docking, power, USB)
- (1) USB 3.0a Port
- (1) 3.5mm Combo headphone/microphone jack\*
- (1) Micro SD card slot\*\* (tablet)
- (1) Micro SIM
- (1) Docking port

\* Headphones are sold separately

\*\* Up to 2TB of expandable storage. Micro SD card sold separately

## WEIGHT AND DIMENSIONS



#### Features

Dimensions (W x D x H)	Tablet-only Tablet + Jacket	30 x 21.38 x 0.9 cm (11.81 x 8.42 x 0.36 in) landscape orientation 32.81 x 23.36 x 2.13 cm (12.91 x 9.19 x 0.83 in)
Weight* * Weight will vary by configu	Tablet + Jacket	Starting at 1238g (2.73lbs.)

## SOFTWARE AND SECURITY

#### BIOS

HP BIOSphere Gen3<sup>1</sup> HP SureStart Gen3<sup>10</sup> HP DriveLock | HP Automatic DriveLock BIOS Update via Network Master Boot Record Security Power On Authentication Secure Erase<sup>2</sup> Absolute Persistence Module<sup>3</sup> Pre-boot Authentication

#### Communication / Connectivity

HP Mobile Connect Pro (Windows 8.1 and Windows 10 only)<sup>4</sup> Native Miracast Support<sup>5</sup> HP LAN-WLAN Protection HP MAC Address Manager HP Wireless Wakeup HP SureConnect HP Workwise HP Velocity

#### **HP Value Add Software**

HP ePrint Driver + JetAdvantage<sup>6</sup> HP Hotkey Support - CMIT HP Recovery Manager HP Jumpstart HP Support Assistant HP Noise Cancellation Software HP Notifications

#### **Microsoft Products**

Buy Office Bing Search Skype<sup>7</sup>

#### Manageability

#### Features

HP Driver Packs<sup>8</sup> HP SoftPaq Download Manager (SDM) HP System Software Manager (SSM)<sup>8</sup> HP BIOS Config Utility (BCU)<sup>8</sup> HP Client Catalog<sup>8</sup> HP MIK for Microsoft SCCM<sup>8</sup> LANDESK Management<sup>9</sup>

For more information on HP Client Management Solutions refer to<sup>-</sup>http<sup>-</sup>//www.hp.com/go/clientmanagement.

#### **Client Security Software**

HP Client Security Suite Gen3<sup>11</sup>

- HP Security Manager (including Credential Manager and Password Manager)
- HP Drive Lock
- HP Fingerprint Sensor
- HP Password Manager
- Absolute Persistence Module
- Power On Authentication

Microsoft Defender<sup>12</sup>

#### Standard

Trusted Platform Module (TPM) 1.2 (Infineon SLB9670). Common Criteria EAL4+ Certified. Upgradable to TPM 2.0. Convertible to FIPS 140-2 Certified mode. (TPM 2.0 is not available for Win 7 32-bit.)<sup>13</sup> HP Fingerprint Reader (On select models) HP Smart Card Reader

1. HP BIOSPhere G3 requires Intel<sup>®</sup> or AMD<sup>®</sup> 7th generation processors.

2. For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88.

3. Absolute agent is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit<sup>-</sup> http<sup>-</sup>//www.absolute.com/company/legal/agreements/ computrace-agreement. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or purchase one or more RSA SecurID tokens from Absolute Software.

4. HP Mobile Connect Pro is only available on preconfigured devices with WWAN and requires prepaid service purchase. For geographic availability refer to http=//www.hp.com/go/mobileconnect

5. Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming media players that also support Miracast. You can use Miracast to share what you're doing on your PC and present a slide show. For more informationhttp://windows.microsoft.com/en-us/windows-8/project-wireless-screen-miracast

6. Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible

printers, supported documents and image types and other HP ePrint details, see http=//www.hp.com/go/eprintcenter). 7. Skype is not offered in China.

8. Not preinstalled, however available for download at http://www.hp.com/go/clientmanagement

9. Subscription required.

10. Sure Start Gen 3 is available on HP Elite products equipped with Intel® 7<sup>th</sup> generation processors.

11. HP Client Security Suite Gen3 requires Windows and Intel® or AMD 7<sup>th</sup> generation processors.

12. Microsoft Defender requires Windows 10.

13. This product ships with TPM 1.2 with option to upgrade to TPM 2.0. Upgrade utility is available via HP Customer Support

**Technical Specifications** 

### **HP Retail Expansion Dock**

- <b>Dimensions</b> (H × W × D)	Fully extended with cable cove without Retail Jacket	er, 13.28 x 10.43 x 8.27 in (337.22 x 265 x 224.2mm)
	Fully collapsed with cable cove without Retail Jacket	er, 4.95 x 10.43 x 10.51in (125.82 x 265 x 267.03mm)
Weight	6.54lb (2965g). Includes embe	edded 150W power supply and AC power cord
Power Supply (input)	Rated Voltage	100 to 240 V
	Rated Current	2.7A rms
	Line Frequency	50 - 60 Hz
Temperature	Operating	50° to 95° F (10° to 35° C)
	Non-operating	14° to 140° F (-10° to 60° C)
Relative Humidity	Operating/Non-condensing	10% to 90% relative humidity
	Non-operating	5% to 90% relative humidity, 101.6° F (38.7° C) maximum wet bulb temperature
Maximum Altitude	Operating	0 to 10,000 ft (0 to 3,048 m)
	Non-operating	0 to 30,000 ft (0 to 9,144 m)
Shock	Operating	40 G, 2-3 ms, half-sine
	Non-operating	165cm/sec, 2-3mm, half-sine
Vibration	Operating	0.21 G 5 to 500 Hz, random
	Non-operating	2.09G, 5 to 500Hz, random
	Non-operating	0.5G, zero to peak, 5 to 500Hz, 0.5 oct/min sweep rate, sine

## DISPLAY

Diagonal Size	12.0 inch
Refresh Rate	60Hz
Aspect Ratio	Wide Aspect Ratio
Format	1920 x 1280
Brightness (typical)*	340 nits (cd/m <sup>2</sup> )

## **ENVIRONMENTAL DATA**

### **Technical Specifications**

Low Halogen\* ENERGY STAR® certified\*\* Mercury Free display backlights and arsenic-free display glass All HP computing products are delivered by SmartWay carriers\*\*\* Recycled Packaging Eligible for free recycling or cash back through HP's Planet Partners Recycling and Consumer Buyback programs

(http=//www.hp.com/go/easybuyback)\*\*\*\*

### **HP Inc. Corporate Environmental Information**

For more information about HP's commitment to the environment<sup>=</sup> Global Citizenship Report http=//www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Environment website<sup>=</sup>http=//www.hp.com/environment

\* External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

\*\* ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.

\*\*\* Designation based on actions to reduce transportation-related emissions. SmartWay-US only. (14e) Free recycling in select countries.

\*\*\*\* Program may not be available in your area. Check <u>http=//www.hp.com/go/recycling</u> to see if HP offers free recycling in your area

## **COUNTRY OF ORIGIN**

China



### Options and Accessories (sold separately and availability may vary by country)

<u>Type</u> Case	<u>Description</u> HP Retail Case 12	<u>Part #</u> Y6J29AA
Docking	HP Retail Expansion Dock	F3K89AA
Accessories	HP Retail Case Shoulder Strap	K7T92AA



### Summary of Changes

Date of change=	Version History=		Description of change <sup>=</sup>
February 2, 2017	From v1 to v2	Added	Callout content and footnotes. Full processor descriptions.
		Removed	Port Replicator, Power and Adapter from Options and Accessorie offering.
February 7, 2017	From v2 to v3	Added	HP Retail Expansion Dock features and Specs

title

Copyright © 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Pentium and Core are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Microsoft and Windows are U.S. registered trademarks of the Microsoft group of companies. ENERGY STAR<sup>®</sup> is a registered trademark owned by the U.S. Environmental Protection Agency. USB Type-C and USB-C are trademarks of USB Implementers Forum. SD, SDXC, and MicroSD, are trademarks or registered trademarks of SD-3C in the United States, other countries or both.

